



ichthyosis with confetti

Ichthyosis with confetti is a disorder of the skin. Individuals with this condition are born with red, scaly skin all over the body, which can be itchy in some people. In childhood or adolescence, hundreds to thousands of small patches of normal skin appear, usually on the torso. The numerous pale spots surrounded by red skin look like confetti, giving the condition its name. The patches of normal skin increase in number and size over time.

In addition to red, scaly skin, people with ichthyosis with confetti typically have abnormally thick skin on the palms of the hands and soles of the feet (palmoplantar keratoderma). Many affected individuals have excess hair (hirsutism) on some parts of the body, particularly on the arms and legs. Because of their skin abnormalities, people with ichthyosis with confetti are at increased risk of developing skin infections.

Frequency

Ichthyosis with confetti is a rare disorder. Fewer than 20 affected individuals have been described in the medical literature.

Genetic Changes

Mutations in the *KRT10* gene cause ichthyosis with confetti. This gene provides instructions for making a protein called keratin 10, which is found in cells called keratinocytes in the outer layer of the skin (the epidermis). In the fluid-filled space inside these cells (the cytoplasm), this tough, fibrous protein attaches to another keratin protein (produced from a different gene) to form fibers called intermediate filaments. These filaments assemble into strong networks that provide strength and resiliency to the skin.

KRT10 gene mutations associated with ichthyosis with confetti alter the keratin 10 protein. The altered protein is abnormally transported to the nucleus of cells, where it cannot form networks of intermediate filaments. Loss of these networks disrupts the epidermis, contributing to the red, scaly skin. However, in some abnormal cells, the mutated gene corrects itself through a complex process by which genetic material is exchanged between chromosomes. As a result, normal keratin 10 protein is produced and remains in the cytoplasm. The cell becomes normal and, as it continues to grow and divide, forms small patches of normal skin that give ichthyosis with confetti its name.

Inheritance Pattern

Ichthyosis with confetti is considered to have an autosomal dominant pattern of inheritance, which means one copy of the altered gene in each cell is sufficient to cause the disorder. Usually, the condition is caused by a new mutation that occurs very early in embryonic development (called a de novo mutation). In these cases, the affected individuals have no history of the disorder in their family. In some cases, an affected person inherits the mutation from one affected parent.

Other Names for This Condition

- congenital reticular ichthyosiform erythroderma
- CRIE
- ichthyosis variegata
- IWC

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Erythroderma, ichthyosiform, congenital reticular
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1836681/>

Other Diagnosis and Management Resources

- Foundation for Ichthyosis and Related Skin Types (FIRST): Skin Care Tips
<http://www.firstskinfoundation.org/skin-care-tips>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Health Topic: Skin Conditions
<https://medlineplus.gov/skinconditions.html>

Educational Resources

- Disease InfoSearch: Erythroderma, ichthyosiform, congenital reticular
<http://www.diseaseinfosearch.org/Erythroderma%2C+ichthyosiform%2C+congenital+reticular/8358>
- MalaCards: ichthyosis with confetti
http://www.malacards.org/card/ichthyosis_with_confetti
- Merck Manual for Healthcare Professionals: Ichthyosis
<http://www.merckmanuals.com/professional/dermatologic-disorders/cornification-disorders/ichthyosis>
- Orphanet: Congenital reticular ichthyosiform erythroderma
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=281190

Patient Support and Advocacy Resources

- Foundation for Ichthyosis and Related Skin Types (FIRST)
<http://www.firstskinfoundation.org/index.cfm>
- National Organization for Rare Disorders (NORD): Ichthyosis
<https://rarediseases.org/rare-diseases/ichthyosis/>
- Resource List from the University of Kansas Medical Center: Ichthyosis
<http://www.kumc.edu/gec/support/ichthyos.html>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?term=%22ichthyosis+with+confetti%22+%5BDISEASE%5D+OR+%22congenital+reticular+ichthyosiform+erythroderma%22+%5BDISEASE%5D+OR+NCT00004690+%5BID-NUMBER%5D>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28ichthyosis+with+confetti%5BTIAB%5D%29+OR+%28erie%5BTIAB%5D%29+OR+%28iwc%5BTIAB%5D%29+OR+%28congenital+reticular+ichthyosiform+erythroderma%5BTIAB%5D%29+OR+%28ichthyosis+variegata%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+2520+days%22%5Bdp%5D>

OMIM

- ERYTHRODERMA, ICHTHYOSIFORM, CONGENITAL RETICULAR
<http://omim.org/entry/609165>

Sources for This Summary

- Brusasco A, Cambiaghi S, Tadini G, Berti E, Caputo R. Unusual hyperpigmentation developing in congenital reticular ichthyosiform erythroderma (ichthyosis variegata). *Br J Dermatol*. 1998 Nov; 139(5):893-6.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/9892962>
- Burger B, Spoerri I, Schubert M, Has C, Itin PH. Description of the natural course and clinical manifestations of ichthyosis with confetti caused by a novel KRT10 mutation. *Br J Dermatol*. 2012 Feb;166(2):434-9. doi: 10.1111/j.1365-2133.2011.10639.x. Epub 2011 Dec 5.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21929535>
- Choate KA, Lu Y, Zhou J, Choi M, Elias PM, Farhi A, Nelson-Williams C, Crumrine D, Williams ML, Nopper AJ, Bree A, Milstone LM, Lifton RP. Mitotic recombination in patients with ichthyosis causes reversion of dominant mutations in KRT10. *Science*. 2010 Oct 1;330(6000):94-7. doi: 10.1126/science.1192280. Epub 2010 Aug 26.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20798280>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3085938/>
- Krunic AL, Palcesky D, Busbey S, Medenica M. Congenital reticular ichthyosiform erythroderma--ichthyosis variegata: a case report and review of the literature. *Acta Derm Venereol*. 2003;83(1): 36-9. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12636020>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/ichthyosis-with-confetti>

Reviewed: February 2014

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services